

Welcome to PubAlerts, a free service of the UNC Institute on Aging Information Center. Our goal is to alert you to new publications in the area of Healthy Aging, drawing from a wide pool of sources. You can subscribe to this list and access previous alerts by visiting <http://www.aging.unc.edu/infocenter/pubalerts/pubalerts.html>. Please contact one of the library staff at [aginginfo@unc.edu](mailto:aginginfo@unc.edu) if you have comments or suggestions.

--JOURNAL ARTICLES--

Entry correlates and motivations of older adults participating in organized exercise programs.  
Stiggelbout M, Hopman-Rock M, van Mechelen W.

J Aging Phys Act. 2008 Jul; 16(3): 342-354.

<http://www.ncbi.nlm.nih.gov/pubmed/18660554>

Integrating the ecological approach in health promotion for older adults: a survey of programs aimed at elder abuse prevention, falls prevention, and appropriate medication use.

Richard L, Gauvin L, Gosselin C, Ducharme F, Sapinski JP, Trudel M.

Int J Public Health. 2008; 53(1): 46-56.

<http://www.ncbi.nlm.nih.gov/pubmed/18522369>

Older adults, chronic disease and leisure-time physical activity.

Ashe MC, Miller WC, Eng JJ, Noreau L.

Gerontology. 2008 Jun 20; [Epub ahead of print]

<http://www.ncbi.nlm.nih.gov/pubmed/18566534>

Prevention of falls in nursing homes: subgroup analyses of a randomized fall prevention trial.

Kilian Rapp, Sarah E. Lamb, Gisela Buchele, Ranjit Lall, Ulrich Lindemann, Clemens Becker  
Journal of the American Geriatrics Society. 2008 Jun; 56(6): 1092–1097.

<http://www.blackwell-synergy.com/doi/abs/10.1111/j.1532-5415.2008.01739.x?ai=100&ui=1cbze&af=T>

The effectiveness of a physical activity intervention for seniors.

Jancey JM, Lee AH, Howat PA, Clarke A, Wang K, Shilton T.

Am J Health Promot. 2008 May-Jun; 22(5): 318-321.

<http://www.ncbi.nlm.nih.gov/pubmed/18517091?dopt=AbstractPlus>

Maintaining physical activity among older adults: six-month outcomes of the Keep Active Minnesota randomized controlled trial.

Martinson BC, Crain AL, Sherwood NE, Hayes M, Pronk NP, O'Connor PJ.

Prev Med. 2008 Feb; 46(2): 111-119.

<http://www.ncbi.nlm.nih.gov/pubmed/17904629>

Square-stepping exercise versus strength and balance training for fall risk factors.

Shigematsu R, Okura T, Sakai T, Rantanen T.

Aging Clin Exp Res. 2008 Feb; 20(1): 19-24.  
<http://www.ncbi.nlm.nih.gov/pubmed/18283224>

--REPORTS--

The prevention of lifestyle-related chronic diseases: an economic framework.  
Franco Sassi and Jeremy Hurst Organisation for Economic Co-operation and Development  
(OECD Health Working Paper no. 32, March 2008, .pdf format, 78p.)  
<http://www.oecd.org/dataoecd/57/14/40324263.pdf>

The WHO global report on falls prevention in older age.  
World Health Organization (2007, .pdf format, 53p.)  
[http://www.who.int/ageing/publications/Falls\\_prevention7March.pdf](http://www.who.int/ageing/publications/Falls_prevention7March.pdf)

Increasing active living: a guide for policy-makers.  
Leadership for Healthy Communities  
Robert Wood Johnson Foundation (Fall 2007, .pdf format, 8p.)  
<http://www.rwjf.org/files/research/activelivinglhc2007.pdf>

Public attitudes to health promotion and disease prevention: a report for the Victorian Health  
Promotion Foundation.  
Darren Pennay and Jenna Bateman  
Social Research Centre (March 2007, .pdf format, 58p.)  
<http://www.vichealth.vic.gov.au/assets/contentFiles/Health%20Promotion%20Report%5FFinal.pdf>